

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

ALUFLUID
UFI : EG7N-Q1CF-Q00D-P08M

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Metal working fluids
Lubrication at high energy conditions in metal working operations

Uses advised against

No information available.

1.3 Details of the supplier of the safety data sheet

CH-Importer Josef Binkert AG
Grabenstrasse 1
CH-8304 Wallisellen

Phone: +41 44 832 55 55
Fax: +41 44 832 55 66
Mail: info@binkert.com

Producer ML LUBRICATION GMBH
Hafenstraße 15
DE-97424 Schweinfurt

Phone: +49 97 2165 95-0
Fax: +49 97 2165 95-65

1.4 Emergency telephone number

NHS Direct Contact Number 111 (UK), 112 (EU) or 911 (US)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Asp. Tox. 1 ; H304 - Aspiration hazard : Category 1 ; May be fatal if swallowed and enters airways.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Health hazard (GHS08)

Signal word

Danger

Hazard components for labelling

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/....
P331 Do NOT induce vomiting.
P405 Store locked up.

Additional hazard features

EUH066 Repeated contact can lead to chapped or cracked skin.

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

2.3 Other hazards

Adverse environmental effects

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description

Base Oil and Additives

Hazardous ingredients

Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; REACH No. : 01-2119453414-43-0001 ; EC No. : 920-107-4; CAS No. : 869062-45-3

Weight fraction : $\geq 85 - < 90$ %

Classification 1272/2008 [CLP] : Asp. Tox. 1 ; H304 EUH066

Additional information

The highly refined mineral oil contains less than 3% (w/w) DMSO-extract, according to IP 346 and is not considered to be carcinogenic.

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Remove casualty to fresh air and keep warm and at rest. Where appropriate artificial ventilation. In case of respiratory tract irritation, consult a physician.

In case of skin contact

Change contaminated, saturated clothing. After contact with skin, wash with plenty of water and soap. In case of skin irritation, consult a physician.

After eye contact

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

Following ingestion

Do NOT induce vomiting. Call a physician immediately. Rinse mouth thoroughly with water. Observe risk of aspiration if vomiting occurs.

Self-protection of the first aider

No direct artificial respiration to be given by first aider.

4.2 Most important symptoms and effects, both acute and delayed

The following symptoms may occur: Cough, Respiratory complaints, Dyspnoea, Fever, Pulmonary oedema, Pneumonia
Symptoms can occur only after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, Extinguishing powder, Carbon dioxide (CO₂), Water spray, Water mist,

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

Unsuitable extinguishing media

Strong water jet

5.2 Special hazards arising from the substance or mixture

Hazardous combustion products

In case of fire may be liberated: Carbon dioxide (CO₂), Carbon monoxide, Nitrogen oxides (NO_x), Smoke and other incomplete combustion products.

5.3 Advice for firefighters

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Do not inhale explosion and combustion gases. Use water spray jet to protect personnel and to cool endangered containers. Move undamaged containers from immediate hazard area if it can be done safely. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protection equipment. Avoid contact with skin, eyes and clothes. Wear breathing apparatus if exposed to vapours/dusts/aerosols. Ventilate affected area. Remove all sources of ignition.

6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Make sure spills can be contained, e.g. in sump pallets or kerbed areas. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

For containment

Stop and contain spill/release if it can be done safely. If this cannot be done, allow fire to burn under control. Cover drains. Prevent spread over a wide area (e.g. by containment or oil barriers).

For cleaning up

Clear spills immediately. Wipe up with absorbent material (eg. cloth, fleece). Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Take up mechanically, placing in appropriate containers for disposal. Ventilate affected area. Clean contaminated articles and floor according to the environmental legislation.

6.4 Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas. Put lids on containers immediately after use. Avoid contact with skin, eyes and clothes. Do not breathe gas/fumes/vapour/spray. Keep away from sources of ignition - No smoking.

Protective measures

Measures to prevent fire

Only use the material in places where open light, fire and other flammable sources can be kept away.

Environmental precautions

Do not allow to enter into surface water or drains.

Advices on general occupational hygiene

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Ensure adequate ventilation of the storage area.

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

Packaging materials

Only use containers specifically approved for the substance/product.

Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Protect containers against damage.

Hints on joint storage

Storage class : 10

Storage class (TRGS 510) : 10

Materials to avoid

Oxidizing agent

Do not store together with

Food and feedingstuffs

Further information on storage conditions

Recommended storage temperature : 5 - 40°C / 40 - 105°F.

Protect against : Frost Heat. UV-radiation/sunlight Water Humidity.

Storage stability : Product may be stored for up to 24 months under described conditions.

7.3 Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

To date, no national critical limit values exist.

8.2 Exposure controls

Appropriate engineering controls

Use only in well-ventilated areas. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means. Technical measures and the application of suitable work processes have priority over personal protection equipment.

Personal protection equipment

Personal protective equipment selections vary based on potential exposure conditions such as applications, handling practices, concentration and ventilation. Information on the selection of protective equipment for use with this material, as provided below, is based upon intended, normal usage.

Eye/face protection

Eye glasses with side protection EN 166

Skin protection

Hand protection

Tested protective gloves must be worn: DIN EN 374

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Check leak tightness/impermeability prior to use.

Suitable material :

Wearing time with permanent contact:

Material: NBR (Nitrile rubber), , CR (polychloroprene, chloroprene rubber), , PVA (Polyvinyl alcohol),

Thickness of the glove material: 0,70 mm

Breakthrough time (maximum wearing time): > 480 min

Wearing time with occasional contact (splashes):

Material: NBR (Nitrile rubber), , CR (polychloroprene, chloroprene rubber), , PVA (Polyvinyl alcohol),

Thickness of the glove material: 0,40 mm

Breakthrough time (maximum wearing time): > 30 min

Breakthrough time (maximum wearing time): : For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Body protection

Body protection: not required. If prolonged or repeated contact is likely, chemical, and oil resistant clothing is recommended.

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

Respiratory protection

Usually no personal respirative protection necessary.
If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.
Respiratory protection necessary at: insufficient ventilation, aerosol or mist formation.

Suitable respiratory protection apparatus

Combination filtering device

General information

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Wash contaminated clothing prior to re-use. Do not put any product-impregnated cleaning rags into your trouser pockets. Apply skin care products after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : Liquid

Colour : colourless

Odour : characteristic

Safety characteristics

Melting point/freezing point :	No data available		
Initial boiling point and boiling range :	(1013 hPa)	>	240 °C
Flammability:	flammable		
Lower explosion limit :			0,6 Vol-%
Upper explosion limit :			6,5 Vol-%
Flash point :			104 °C
Auto-ignition temperature :		>	240 °C
Decomposition temperature :	not determined		
pH :	No data available		
Cinematic viscosity :	(40 °C)		2,4 mm ² /s
Water solubility :	(20 °C)		practically insoluble
log P O/W :			not applicable
Vapour pressure :	(20 °C)		No data available
Density :	(15 °C)		0,825 g/cm ³
Relative vapour density :	(20 °C)		No data available
Maximum VOC content (Switzerland) :			0 Weight-%

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

No information available.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

Oxidising agent, strong.

10.6 Hazardous decomposition products

No known hazardous decomposition products.

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological data are not available. The statement is derived from the properties of the single components.

Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity

Parameter : LD50 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Exposure route : Oral
Species : Rat
Effective dose : > 5000 mg/kg

Acute dermal toxicity

Parameter : LD50 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Exposure route : Dermal
Species : Rabbit
Effective dose : > 5000 mg/kg

Acute inhalation toxicity

Parameter : LC50 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Exposure route : Inhalation
Species : Rat
Effective dose : > 5 mg/l

Corrosion

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Parameter : Skin corrosion/irritation (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Species : Rabbit
Result : Mild effects but not relevant for classification.
Method : OECD 404

Serious eye damage/eye irritation

Parameter : Serious eye damage/eye irritation (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Species : Rabbit
Result : Mild effects but not relevant for classification.
Method : OECD 405

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Parameter : Skin sensitisation (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Species : Guinea pig
Result : not sensitizing
Method : OECD 406

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

STOT-single exposure

STOT SE 1 and 2

Based on available data, the classification criteria are not met.

STOT-repeated exposure

STOT RE 1 and 2

Based on available data, the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways. Based on physico-chemical properties of the material. For viscosity data, see section 9.

11.2 Information on other hazards

No information available.

SECTION 12: Ecological information

12.1 Toxicity

For the product ecotoxicological data are not available. The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

Aquatic toxicity

Harmless to aquatic organisms.

Acute (short-term) fish toxicity

Parameter :	LC0 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Species :	Oncorhynchus mykiss (Rainbow trout)
Effective dose :	> 1000 mg/l
Exposure time :	96 h

Acute (short-term) toxicity to crustacea

Parameter :	EC0 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Species :	Daphnia magna (Big water flea)
Effective dose :	> 1000 mg/l
Exposure time :	48 h

Acute (short-term) toxicity to algae and cyanobacteria

Parameter :	EC0 (Hydrocarbons, C12-C15, n-alkanes, isoalkanes, cyclics, < 2% aromatics ; CAS No. : 869062-45-3)
Species :	Pseudokirchneriella subcapitata
Effective dose :	> 1000 mg/l
Exposure time :	72 h

12.2 Persistence and degradability

Biodegradation

Moderately/partially biodegradable.

12.3 Bioaccumulative potential

No indication of bioaccumulation potential.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

No information available.

12.8 Additional ecotoxicological information

Do not allow uncontrolled discharge of product into the environment.

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Directive 2008/98/EC (Waste Framework Directive)

Consult the appropriate local waste disposal expert about waste disposal. Dispose of waste according to applicable legislation.

Before intended use

Waste codes/waste designations according to EWC/AVV

12 01 07* (Mineral-based machining oils free of halogens (except emulsions and solutions))

Remark

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

Additional information

Non-contaminated packages may be recycled.

Empty containers may contain residue and can be dangerous. Do not attempt to refill or clean containers without proper instructions. Do not pressurise, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, static electricity, or other sources of ignition.

SECTION 14: Transport information

14.1 UN number or ID number

No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

No dangerous good in sense of these transport regulations.

14.4 Packing group

No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

None

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Water hazard class

Classification according to AwSV - Class : 1 (Slightly hazardous to water)

15.2 Chemical Safety Assessment

No information available.

SECTION 16: Other information

16.1 Indication of changes

02. Label elements · 03. Hazardous ingredients · 15. Water hazard class

Safety Data Sheet

According to ChemG (SR 813.1), ChemV (SR 813.11),
Regulation (EG) Nr. 1907/2006 (REACH)

BINKERT

Trade name : ALUFLUID
Revision date : 29.02.2024 / SL
Print date : 29.02.2024 / SL

Version (Revision) : 7.0.0 (6.0.0)

16.2 Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
ICAO: International Civil Aviation Organization
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
CAS: Chemical Abstracts Service (division of the American Chemical Society)
GHS: Globally Harmonized System on the Classification and Labelling of Chemicals
CLP: Regulation on Classification, Labelling and Packaging of Substances and Mixtures,
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
EC50: Effective concentration, 50 percent
DNEL: Derived No Effect Level
PNEC: Predicted No Effect Concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

16.3 Key literature references and sources for data

Sources of information used in preparing this SDS included one or more of the following: Product Dossiers and SDS from suppliers, complemented by public sources, as appropriate (GESTIS, the EU IUCLID Data Base, U.S. NTP publications, e.g.).

16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

No information available.

16.5 Relevant H- and EUH-phrases (Number and full text)

H304	May be fatal if swallowed and enters airways.
EUH066	Repeated exposure may cause skin dryness or cracking.

16.6 Training advice

Provide adequate information, instruction and training for operators.

16.7 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.